

SUBMISSION – KATHY MILLA

ITEM 1 - REPORT OF THE STANDING POLICY COMMITTEE ON WATER, WASTE AND ENVIRONMENT
DATED OCTOBER 30, 2023 - ADVANCED WATER METERING SOLUTION BUSINESS CASE

Sent: Wednesday, November 22, 2023 6:20:22 AM

Personal information

Full name: Kathy Milla

Email address:

Phone:

Job title:

Organization:

Address:

City:

Province or territory: Manitoba

Postal code:

Delegation information

Committee: Council

Committee - council: Opposed to the recommendations

Committee - other: N/A

Agenda item (number and title): REPORT OF THE STANDING POLICY COMMITTEE ON WATER, WASTE
AND ENVIRONMENT DATED OCTOBER 30, 2023 Advanced Water Metering Solution Business Case

Service inquiry: Submit Comments in writing

Participation preference: N/A

Comments in writing: I am requesting for the Council to defer the vote until there is a FULL PUBLIC
CONSULTATION on this \$ 135 million project which must include the opportunity to examine and
comment on the Diameter Services report mentioned in the public service report.

Has the potential for adverse health effects been adequately studied by Health Canada and the reports
made available for public dissemination? I understand there have been many reports of harm from
exposures to emissions from wireless smart meters yet the City of Winnipeg has not made public
statements about this. If I have missed this, please provide me with the details of such statements or
reports.

I am opposed to this recommendation. Shall this recommendation be supported to move forward,
there must be an opt-out option for people who do not want to participate in this, at NO COST to the
household or individual or if there is a cost, the City should pay, not tax payers. This is a matter of fully
informed consent, so all potential harms should be clearly identified and communicated. A person's
choice to not participate should this move forward must be sufficient. There shall be no penalties,
financial or otherwise, for persons who do not want to be a part of this experiment.

File:

Public engagement preference: Yes